

論文 (2006年)

1. Akiyama M, Ohtani H, Sato E, Nagura H, Tabayashi K.
Up-regulation of matrix metalloproteinase-2 and membrane-type 1-matrix metalloproteinase were coupled with that of type I procollagen in granulation tissue response after the onset of aortic dissection.
Virchows Arch.2006; 448:811-821.
2. Sato S, Saiki Y, Nitta Y, Oda K, Takahashi G, Tabayashi K.
Redo total aortic arch replacement using an extended homograft for graft infection.
Jpn J Thorac and Cardiovasc Surg.2006; Oct;54(10):448-450.
3. Shibuya T, Watanabe K, Yamashita H, Shimizu K, Miyashita H, Abe M, Moriya T, Ohta H, Sonoda H, Shimosegawa T, Tabayashi K, Sato Y.
Isolation and characterization of vasohibin-2 as a homologue of VEGF-inducible endothelium-derived angiogenesis inhibitor vasohibin.
Arterioscler Thromb Vasc Biol.2006; 26:1051-1057.
4. Fujiwara H, Oda K, Saiki Y, Sakamoto N, Ohashi T, Sato M, Tabata Y, Tabayashi K.
The wrapping method using biodegradable felt strips has a preventive effect on the thinning of the aortic wall:Experimental study in the canine aorta.
Journal of Vascular Surgery.2006 Feb;43(2):349-356.
5. 赤坂純逸、田林暁一
破裂性胸部大動脈瘤に対する緊急ステントグラフト
胸部外科 59(8 suppl):688-693,2006.
6. 関野美仁、山谷一広、伊藤智宏、佐久間啓、佐藤成和、田林暁一
高齢者に対する大動脈弁輪拡大術
胸部外科 59:278-282,2006.
7. 田林暁一
一枚のシェーマ「拡大鏡部大動脈置換術—大動脈基部から遠位胸部下行大動脈までの一期的置換」
胸部外科 59:1006, 2006.
8. 小田克彦、田林暁一
虚血性心疾患に対するバイパスグラフトと手術術式の選択ガイドライン

Circulation Journal .2006 Vol.70,suppl.IV .